

# Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

# U.S. Department of Labor

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

<b>IDENTITY (As Used on Label and List)</b> <b>SARGENT/GOTHIC MOLDED CRAYON</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

## Section I

<b>Manufacturer's Name</b> Sargent Art, Inc.	<b>Emergency Telephone Number</b> 570-454-3596
<b>Address (Number, Street, City, State, and ZIP Code)</b> 100 E Diamond Avenue Hazleton PA 18201	<b>Telephone Number for Information</b> 570-454-3596 <b>Date Prepared</b> 11-24-2008 Signature of Preparer (optional)

## Section II - Hazard Ingredients/Identity Information

**Hazardous Components** (Specific Chemical Identity; Common Name(s))

ALL CP/AP PRODUCTS ARE CERTIFIED	BY A NATIONAL RECOGNIZED AUTHOR-
ITY ON TOXICOLOGY ASSOCIATED WITH	A LEADING UNIVERSITY TO CONTAIN
NO KNOWN TOXIC MATERIALS IN SUFFI	CIENT QUANTITIES TO BE
INJURIOUS TO THE HUMAN BODY EVEN	IF INGESTED.

CONFORMS TO ASTM-D 4236.

## Section III - Physical/Chemical Characteristics

<b>Boiling Point</b> 550 - 750 deg F	<b>Specific Gravity (H<sub>2</sub>O = 1)</b> 0.8 - 1.1
<b>Vapor Pressure (mm Hg.)</b> N/A	<b>Melting Point</b> 125 - 145 def F
<b>Vapor Density (AIR = 1)</b> N/A	<b>Evaporation Rate</b> (Butyl Acetate = 1) less than 0.01
<b>Solubility in Water</b>	NEGLIGIBLE
<b>Appearance and Odor</b>	64 Various Colors, Slight Wax Odor

## Section IV - Fire and Explosion Hazard Data

<b>Flash Point (Method Used)</b> N/A	<b>Flammable Limits</b> <table border="0"> <tr> <td>LEL</td> <td>UEL</td> </tr> <tr> <td>NONE</td> <td>NONE</td> </tr> </table>	LEL	UEL	NONE	NONE
LEL	UEL				
NONE	NONE				
<b>Extinguishing Media</b> <b>Special Fire Fighting Procedures</b>	CARBON DIOXIDE, FOAM, SAND  NONE				
<b>Unusual Fire and Explosion Hazards</b>	DO NOT STORE WITH STRONG OXIDIZERS				

**Section V - Reactivity Data**

<b>Stability</b>	<b>Unstable</b>	<b>Conditions to Avoid</b>
	<b>Stable</b>	X
<b>Incompatibility (Materials to Avoid)</b>	<i>Strong</i>	Strong oxidizers and acids
<b>Hazardous Decomposition or Byproducts</b>	Carbon Monoxide	
<b>Hazardous Polymerization</b>	<b>May Occur</b> <b>Will Not Occur</b> X	<b>Conditions to Avoid</b> Contact w/strong oxidizers. Over heating or burning may release highly irritating fumes.

**Section VI - Health Hazard Data**

<b>Route(s) of Entry: Inhalation?</b> NO	<b>Skin?</b> No	<b>Ingestion?</b> Possible - See Below
<b>Health Hazards (Acute and Chronic)</b>		
This product is certified to contain no toxic or injurious to humans or to cause		materials in sufficient quantities to be acute or chronic health problems.
<b>Carcinogenicity: NTP?</b> Does not apply	<b>IARC Monographs?</b> None	<b>OSHA Regulated?</b> Not Regulated
<b>Signs and Symptoms of Exposure</b>	Does not apply	
<b>Medical Conditions Generally Aggravated by Exposure</b>	None Known	
<b>Emergency and First Aid Procedures</b>	If ingested, call physician immediately	

**Section VII - Precautions for Safe Handling and Use**

<b>Steps to Be Taken in Case Material is Released or Spilled</b>	Recover free product. Conforms to state and local regulations.
<b>Waste Disposal Method</b>	In accordance with local regulations.
<b>Precautions to Be taken in Handling and Storing</b>	Store at room temperature.
<b>Other Precautions</b>	Do not use around open flame.

**Section VIII - Control Measures**

<b>Respiratory Protection (Specify Type)</b>	Not Required.		
<b>Ventilation</b>	<b>Local Exhaust</b>	Not Required	Special None Required
<b>Mechanical (General)</b>		Not Required	Other None Required
<b>Protective Gloves</b>	None Required	<b>Eye Protection</b>	Not Required
<b>Other Protective Clothing or Equipment Work/Hygienic Practices</b>	Not Required Clean, safe work practices		

